AGREKOM®

Product catalogue

Spray units and spray guns **2026**



Discover the potential of spray technology

Renders | gypsum finish | paints | fillers



In this catalogue you will find the full range of Agrekom® equipment for spraying renders, gypsum finish, paints and fillers: from pneumatic spray units to screw-pump plastering machines.

Spraying bitumen waterproofing with the AGT-40 gun

Modern
spraying solutions

Pneumatic spray units

Plaster & paint spray unit with bottom outlet 35/60/110 L **2**

Industrial plastering spray gun **AGT-40** **4**

Professional plastering spray gun **AGT-30** **5**

Industrial paint spray gun **AGM-40** **6**

Professional paint spray gun **AGM-30** **6**

Hoses **7**

Full range **7**

Screw-pump machine

Screw-pump machine AGR-30-K **9**

Air compressors

Oil-lubricated air compressors Torpeda® **10**

Accessories **10**

Full range **11**


Pneumatic spray units

bottom outlet

- 35 / 60 / 110 L
- 8 bar
- Conical bottom
- Easy cleaning
- Up to 15 m of hoses



The lid of the pressure tank can be opened and closed quickly, without tools.



Precise pressure control. Independent pressure adjustment for the gun (right knob) and the tank (left knob).



Power supply: an air compressor with a minimum free air delivery of 300 l/min. Suitable models on p. 11.




Depressurisation. The integrated muffler releases the pressure in the tank quickly and quietly.



Rubber wheels effectively absorb shocks.



Convenient cleaning. The bottom outlet of the tank can be removed very easily, making cleaning quick and convenient.



Façade render
mineral, acrylic, textured




Gypsum finish



Mesh adhesive (EWI)




Spatterdash




Bitumen waterproofing



Paints and primers




Sealers and preservatives



Limewashing



Spray treatments



Foaming
requires an additional module

Wide range of applications

depending on the spray gun selected

The **40** series spray guns (pp. 4 and 6) are the most versatile – they can spray the widest range of materials.



35 L
50–65 kg of material



60 L
90–110 kg of material



110 L
170–200 kg of material



Spatterdash with the AGT-40 gun

Plastering spray guns

Industrial plastering spray gun

AGT-40



- Sprays very thick materials
- Spray width up to **50 cm**
- Air shut-off with the gun trigger
- Set of ceramic nozzles **4, 6, 8, 10, 12 (mm)**
- Set of ceramic AIR PRO nozzles **4, 6, 8, 10, 12 (mm)**
- Interchangeable needles **without bore** and **Ø 2.5 mm** included
- Convertible to AGT-30






Compatible with **bottom-outlet pneumatic spray units** and **screw-pump machines**


Applications

- Façade renders silicone, silicate, acrylic, mineral
- Gypsum plasters
- Spatterdash (cement-lime)
- Textured and slurry paints
- Bitumen waterproofing
- Gypsum, gypsum finish
- Liquid wallpaper
- Bonding primer
- Mesh adhesive

AIR PRO nozzles

- Air supplied directly to the nozzle
- 4-point air feed around the material stream
- Sprays very high-density materials
- Increased abrasion resistance





The innovative AIR PRO system delivers compressed air directly into the nozzle. Air enters it evenly through 4 holes, so the gun can spray even very thick materials such as bitumen waterproofing.





Compatible with **bottom-outlet pneumatic spray units** and **screw-pump machines**.

Professional plastering spray gun

AGT-30

- Spray width up to **40 cm**
- Air shut-off with the gun trigger
- Set of stainless steel nozzles **4, 6, 8, 10, 12 (mm)**
- Replaceable needle (**Ø 2.5 mm** in the gun)

Applications

- Façade renders
  silicone, silicate, acrylic, mineral
- Gypsum plasters
- Spatterdash (cement-lime)
- Gypsum finish
- Liquid wallpaper
- Bonding primer
- Mesh adhesive



Mesh adhesive with the AGT-30 gun

Paint spray guns

Industrial paint spray gun

AGM-40

- Spray width up to **55 cm**
- Adjustable spray width
- Adjustable air flow
- Minimal overspray
- Very fine atomisation
- 1.4 / 2.5 / 3.0 mm nozzles included
- Stainless steel needles



Applications

- Emulsion, primer, acrylic, oil-based and renovation paints for façades
- Primers
- Lubricants
- Sealers and preservatives
- Release agents
- Waterproofing (liquid membrane)

Compatible with all **pneumatic spray units.**

Professional paint spray gun

AGM-30



Compatible with all **pneumatic spray units.**

- Spray width up to **50 cm**
- Adjustable spray width
- Adjustable air flow
- Low overspray
- Fine atomisation
- 2.5 mm nozzle
- Stainless steel needle

Applications

- Emulsion, primer and acrylic paints
- Primers
- Sealers and preservatives



Painting with the AGM-30 gun

Hoses



- Lengths 5, 10, 15 m (Ø 25 mm: 5 and 10 m)
- Plaster hose **Ø 25 mm** with CAMLOCK couplings
- Paint hose **Ø 12 mm** with CAMLOCK or 1/4" couplings
- Air hose **Ø 8 mm** for guns and compressor, with quick coupling
- Transparent – lets you check material flow and hose cleanliness
- Cleaning balls included
- Increased durability, polyester yarn reinforced
- Hoses can be joined (working reach of 5, 10 or 15 m)



Pneumatic spray units

Full range



110 L | 8 bar
plaster & paint
spray unit
(bottom outlet)



60 L | 8 bar
plaster & paint
spray unit
(bottom outlet)



35 L | 8 bar
plaster & paint
spray unit
(bottom outlet)

Spray guns



Industrial plastering spray gun AGT-40



Professional plastering spray gun AGT-30

Hoses



Industrial gypsum lance 140 cm
with nozzle set
4, 6, 8, 10, 12 (mm)



Industrial paint spray gun AGM-40



Plaster hose
Ø 25 mm bottom outlet.
Available in lengths
5, 10 m. Can be joined,
max. 15 m.



Paint hose
Ø 12 mm bottom outlet.
Available in lengths
5, 10, 15 m,
can be joined.



Paint hose
Ø 12 mm top outlet.
Available in lengths
5, 10, 15 m,
can be joined.

Accessories



Air hose
Ø 8 mm for spray guns.
Available in lengths
5, 10, 15 m,
can be joined.



Plaster vibrator
for spraying very
thick materials.
Compatible only
with green tanks.



Cordless pressure washer
for cleaning machines
after work.



Universal funnel
fits all
pneumatic unit
tank sizes.



Needle 3.0 mm for AGT-40 and AGT-30 guns



Gypsum finish with the AGT-30 gun


Screw-pump machine

AGR-30-K



- Ideal for cement-lime renders
- Power supply 110 V – 2.2 kW
- Output 18 l/min
- Max. 30 bar
- Max. 20 m of hose
- Built-in air compressor
- Infinitely variable output control
- 48 L hopper
- Mobile design on wheels
- Supplied with 10 m hoses (material and air) and a toolbox with spanners, PTFE tape and hose cleaning balls.

Applications



Cement-lime render

Gypsum plaster

Self-levelling screed

Mesh adhesive

Spray guns to choose from

AGR series screw-pump machines are compatible with:
- AGT-40 (p. 4)
- AGT-30 (p. 5)
- Optional gypsum lance





Rotor. Strong feed screw; the hopper has a drain plug for emptying plaster residue and easy cleaning.



Pressure solenoid valve. Automatically shuts off the pressure



Built-in air compressor

Oil-lubricated air compressors

TORPEDA®

- Power supply 110 V
- Pressure 8 bar
- Tank capacity 50 L
- Regulator with pressure gauge – precise pressure control
- Top-quality components



Applications



Powering Agrekom® pneumatic spray units



Powering air tools
(impact wrenches, nailers, staplers, etc.)



Inflating
(tyres, balls, dinghies, etc.)



Blowing out/cleaning



Optional accessories



Air hose with quick couplings 5/10/15/20 m



20-piece air tool accessory kit



Torpeda® air compressor TP-B50-30KW

Oil-lubricated air compressors 110 V

Full range



TP-V50-110-30KW



TP-B50-110-30KW

	TP-V50-110-30KW	TP-B50-110-30KW
	2,2 kW	2,2 kW
	50 L	50 L
	Air delivery **390 l/min**	Air delivery **370 l/min**
	8 bar	8 bar
	2 pistons	2 pistons
	Copper winding	**Copper** winding
	Continuous duty	**Continuous duty**
	Additional features: oil separator, two air outlets, automatic piston pressure release at 10 bar.	**Additional features:** oil separator, two air outlets, belt drive, quiet operation.

Contact us

01793 486565

hello@agrekom.co.uk

The Malt Miller (our UK distributor)
Unit A2 Faraday Road, Dorcan
Swindon SN3 5HQ

Work videos, video tutorials

www.agrekom.co.uk/videos